




Outdoor Smart Wireless Floodlight Camera

Quick Start Guide




Model: CSH-FLDLCAM

Welcome

Thank you for choosing our Floodlight Camera.
Getting started is easy.


1. What's Included




Floodlight Camera



Bracket Screws



Wire Nuts



Silicone Cap




Bracket Screw



Bracket Screw



Wire Nuts



Waterproof Cushion



Quick Start Guide

2. Shut off the power



Turn off the power before installing the floodlight camera.



WARNING: Risk of electrical shock

- Turn off and disconnect the power before installing.
- Verify that the supply voltage is correct. Connect fixture to a AC100V-240V, 50/60 Hz power source.

CAUTION: Risk of fire


- Do not install near combustible or flammable surfaces.

NOTICE

- Do not connect this light fixture to a dimmer switch or timer.
- Floodlight Cam must be installed on a wall and on a UL listed junction box.

3. How it fits all together



Australia gauge power cord color: Blue , Brown, Yellow green. Connect Floodlight Camera cables to a normal socket.



4. Prepare your Floodlight Camera for installation



1

Loosen the knobs on the light fixtures to rotate them out of the way and allow access to the mounting screws.




2

According to your actual scene to adjust the view angle of camera




5. Connect the power to the camera

After installation, switch on the button.



6. Connection Preparation

Please install the Floodlight Camera within WiFi covered area to ensure the best working performance.



Camera



Router



Smartphone

Note: Make sure smart phone is connected with your wireless router.

Please note the camera is only working under 2.4G Wi-Fi and does not support 5g Wi-Fi.

7. Get the APP and Account


For the best experience, please download the 'Connect Smarthome' APP to your smartphone from App Store or Google Play, or you can also scan the QR code below, the APP icon will be displayed after installed successfully.



Tuya Smart



Tuya Smart





Launch the app from your smartphone and click the Sign Up button. Follow the on-screen instructions.

8. Set up your camera



- Power the device on and make sure the indicator is red and flashing quickly or a prompt tone is heard.
- If the indicator is not red and flashing quickly, use the Reset Needle to press the reset button of camera above 5 seconds, then release the button, a red LED on the front of camera will blink quickly.
- Follow App's instructions to add a new device, Security & Sensor -> Smart Camera. Follow the on screen instruction. The device will connect to your Wi-Fi network successfully.
- The blue light is on, camera is ready for viewing.

Press the Reset button for above 5 seconds to start Reset processing



You're done!

Congratulations! Your camera is set up and ready to go.



Appendix: Camera LED Guide

NO.	LED Status	Camera Status
1	Red LED on	System starting up
2	Red LED blinks	Standby for configuration
3	Blue LED blinks	Network pairing
4	Blue LED on	Camera online



All trademarks are used for reference purposes only.

Thanks again for choosing our Floodlight camera!